

20. Alphabetic index of syntactical units

For each syntactical unit, the section of definition is given. AR indicates that the definition is found in the "revised" ALGOL report [1]. The numbers of the sections in this document where the syntactical unit is referenced, are indicated in parentheses. A reference in the same section as the definition is not indicated. The metalanguage brackets < and > have been removed from the syntactic units.

activate (14.2.3.1)
activation clause 14.2.3.1
activation statement 14.2.3.1 (6)
activator 14.2.3.1
actual parameter 7.1.1
actual parameter part AR(4.3.1, 6.3.1, 7.1.1)
after (14.2.3.1)
ALGOL block AR(6.3.1)
ALGOL declaration AR(2.1)
ALGOL for clause AR(6.2.1)
ALGOL relation AR(5)
ALGOL statement AR(6)
ALGOL type AR(3.1)
ALGOL unconditional statement AR(6)
arithmetic expression AR(4.1, 14.2.3.1)
array (3.1, 8.1)
array identifier 1 7.1.1
array list AR(3.1)
assignment statement 6.1.1
at (14.2.3.1)
attribute identifier 7.1.1
before (14.2.3.1)
block 6.3.1
block head AR(2.1)
block prefix 6.3.1

Boolean expression AR(4.1, 4.2.1, 4.3.1, 4.4.1, 6.2.1)
character (3.1)
character constant 4.2.1
character designation (4.2.1)
character expression 4.2.1 (4.1)
character relation 5.1.1 (5)
class (2.1, 15.1)
class body 2.1
class declaration 2.1
class identifier 2.1 (3.1, 4.3.1, 5.3.1, 6.3.1, 7.2.1)
compound tail AR(2.1)
connection block 1 7.2.1
connection block 2 7.2.1
connection part 7.2.1
connection statement 7.2.1 (6)
declaration 2.1
delay (14.2.3.1)
designational expression AR(4.1)
do (7.2.1)
else (4.2.1, 4.3.1, 4.4.1)
empty (2.1, 7.2.1, 8.1, 14.2.3.1)
expression 4.1 (7.1.1)
external (15.1)
external declaration 15.1
external identifier (15.1)
external item 15.1
external list 15.1
for (6.2.1)
for clause 6.2.1
formal parameter part AR(2.1, 8.1)
function designator 7.1.1 (4.2.1, 4.3.1, 4.4.1)
identifier AR(2.1, 7.1.1, 15.1)
identifier list AR(8.1)
identifier 1 7.1.1
if (4.2.1, 4.3.1, 4.4.1)
in (5.3.1)
initial operations 2.1

inner (2.1)
inspect (7.2.1)
is (5.3.1)
label (8.1)
label 4.1.1 (6.3.1)
local object 4.3.1
main block 6.3.1
main part 2.1
mode part 8.1
name (8.1)
name part 8.1
new (4.3.1)
none (4.3.1)
notext (4.4.1)
object expression 4.3.1 (4.1, 6.2.1, 7.2.1, 14.2.3.1)
object for list 6.2.1
object for list element 6.2.1
object generator 4.3.1
object reference 3.1
object reference relation 5.4.1
object relation 5.3.1 (5)
otherwise (7.2.1)
otherwise clause 7.2.1
prefix 2.1
prefixed block 6.3.1
prior (14.2.3.1)
procedure (8.1)
procedure heading 8.1
procedure identifier AR(6.1.1, 8.1)
procedure identifier 1 7.1.1
procedure statement 7.1.1
qua 4.3.1
qualification 3.1
qualified object 4.3.1
reactivate (14.2.3.1)

ref (3.1)
reference assignment 6.1.1
reference comparator 5.4.1
reference expression 4.1 (6.1.1)
reference left part 6.1.1
reference relation 5.4.1 (5)
reference right part 6.1.1
reference type 3.1
relation 5
relational operator AR(5.1.1, 5.2.1)
remote identifier 7.1.1
scheduling clause 14.2.3.1
simple character expression 4.2.1 (5.1.1)
simple object expression 4.3.1 (4.3.1 (5.3.1, 5.4.1, 7.1.1))
simple text expression 4.4.1 (5.4.1, 6.1.1, 7.1.1)
simple timing clause 14.2.3.1
simple variable 1 7.1.1
specification part AR(2.1, 8.1)
specifier 8.1
split body 2.1
statement 6 (2.1, 7.2.1)
string AR(4.4.1)
subscript list AR(7.1.1)
switch (8.1)
switch identifier AR(7.1.1)
text (3.1)
text expression 4.4.1 (4.1)
text reference relation 5.4.1
text value 4.4.1 (6.1.1)
text value relation 5.2.1 (5)
then (4.2.1, 4.3.1, 4.4.1)
this (4.3.1)
timing clause 14.2.3.1
type 3.1 (8.1, 15.1)
type declaration 3.1
type list AR(3.1)

unlabelled block AR(6.3.1)
unlabelled compound AR(6.3.1)
unlabelled prefixed block 6.3.1
value assignment 6.1.1
value expression 4.1 (6.1.1)
value left part 6.1.1
value part AR(2.1, 8.1)
value right part 6.1.1
value type 3.1
variable 7.1.1 (4.2.1, 4.3.1, 4.4.1, 6.1.1, 6.2.1)
variable identifier 1 7.1.1
virtual (2.1)
virtual part 2.1
when 7.2.1
when clause 7.2.1
while (6.2.1)